Offices

20 rue des Peupliers L-2328, Luxembourg

2880 Lakeside Dr. #135 Santa Clara, CA 95054, USA

14/F, China Merchants Plaza (South), 333 Chengdu Bei Lu, Jing'an District, Shanghai, China

info@artec3d.com www.artec3d.com

ARTEC

The world's first wireless and Al-driven **3D** scanner





2019 GOLD AWARD WINNE

GOLDEN MOUSETRA

2020 AWARD

2019 HIGHLY COMMENDED







2018 INNOVATION AWARD WINNER





Wireless freedom. **Smart data capture**

Artec Leo is a wireless and fully standalone professional 3D scanner designed to make scanning as easy and effortless as possible. With embedded AI computing, 5" HD built-in display and battery, it's the ultimate all-in-one solution for fast, accurate, and high-quality 3D data capture.

Engineers, product designers, CAD technicians, VFX artists, archeologists, game designers, VR app developers, and many other professionals choose Artec Leo to streamline and speed up their workflows, and to create precise and workable 3D models out of a diverse range of physical objects and surfaces.

Rethink what a 3D scanner can do

Fully mobile

Proven quality & accuracy

Artec Leo is a wireless and fully standalone professional 3D scanner designed to make scanning as easy and effortless as possible. With embedded AI computing, 5" HD built-in display and battery, it's the ultimate all-in-one solution for fast, accurate, and high-quality 3D data capture.

Speed & power

Powered by the most power-efficient embedded NVIDIA Jetson TX2 processor and state-of-the-art algorithms, Leo is like no other scanner when it comes to performance, speed, and durability.

Interactive real-time scanning hints, hybrid target-free tracking system, smart scanning modes for faster data processing - just a few things that make our Leo the easiest 3D scanner to use. Just pick it up, point at whatever you want to scan, and hit that start button. Leo will take care of the rest.

Color capture capabilities

We've packed Leo with advanced tech to capture rich texture, adjust to lighting conditions, and perform precise texture-togeometry mapping. Leo has a two-in-one optical system, an integrated supercomputer on a module, position sensors with 9 degrees of freedom, and VCSEL light technology that varies flash intensity.

Versatile, reliable software

Powered by Artec Studio and Artec Cloud integration, Leo provides a fully autonomous scanning experience. The software enables you to scan directly to the cloud, remote-control the scanner, and even build your own functionality with a dedicated API and SDK. The scanner is regularly updated with performance enhancements and stability improvements.

Leo remains at a stable and optimal temperature throughout the scanning process to bring your accuracy to the next level, while a calibration certificate and Leo Calibration Kit guarantee top quality is maintained every step of the way.

Easy to use

HD Mode for thin and fine elements

Easily capture thin, intricate, and fine elements, and hard-to-reach areas, with minimal noise and in ultra-high-resolution with Leo and Artec's Al-powered HD Mode.


One scanner, **countless applications**

A versatile and all-round scanning solution, Leo is used in a wide range of industries and applications. Across everything from manufacturing to healthcare to art and design, it helps thousands of businesses and professionals do their jobs faster, better, and more efficiently.

Capture both fine details and larger parts with a single scanning solution

With a 160,000 cm-cubed capture zone, Leo is truly versatile when it comes to size. It excels at capturing both medium-sized (20-50 cm) and large (50-200 cm) objects and surfaces. When paired with a powerful computer, it can take on even very large objects (200 cm+) or even entire spaces, such as rooms or crime scenes.

Typical objects for Leo:



Reverse engineering

From race cars to airplanes, Artec Leo slips into areas once difficult to reach, making reverse engineering easier than ever.

Industrial and manufacturing

Inaccessible pipes in offshore rigs or R&D for perfectly fitting skinsuits become an achievable reality with Leo's onscreen display and ease of use.

Science and education

Taking museums directly to the screens of students with scanning giant dinosaurs, or stepping into the world of forensic anthropology, digitally? No big deal for Leo.

Quality inspection

Take your QI to the next level with the power of 3D scanning – the ideal solution when you need results that are not only accurate but super fast.

Healthcare

Leo excels at capturing human body parts and entire bodies for creating custom prosthetic and orthotic devices, providing the right fit and support.

Art and design

From creating ultra-realistic 3D models for video games to digitizing sculptures and monuments, Artec Leo brings art and design to the next level.


Gearboxes, castings

Automotive parts



Turbines, ship propellers, small boats







Statues, and the human body



Crime scenes

Tech Specs

ACCURACY & RESOLUTION	3D point accuracy, up to	0.1 mm	COMPUTER REQUIREMENTS	Supported OS	Scanning: No computer required Data processing: Windows 7, 8, 10 × 64
	3D resolution, <i>up to</i> 3D accuracy over distance, <i>up to</i>	0.2 mm 0.1 mm + 0.3 mm/m		Recommended computer requirements	Intel Core i7 or i9, 64+ GB RAM, NVIDIA
			-		GPU with 8+ GB VRAM, CUDA 6.0+
	HD Mode	Yes		Minimum computer requirements	HD: Intel Core i7 or i9, 32 GB RAM, NVIDI GPU with CUDA 6.0+ and at least 4 GB VRAM
	Hybrid geometry and texture tracking	Yes			
	Data processing algorithms	Geometry and texture based			SD: Intel Core i5, i7 or i9 and 32GB RAM, GPU with 2 GB RAM
	Auto background removal	Yes	-		
FIELD OF VIEW	Working distance	0.35 – 1.2 m			A computer is needed only for data processing. Scanning does not require a
	Volume capture zone	160,000 cm ³			
	Linear field of view, H×W @ closest range	244 × 142 mm	OUTPUT FORMATS	3D mesh	Computer. OBJ, PLY, WRL, STL, AOP, ASC, PTX, E57,
	Linear field of view,	838 × 488 mm			XYZRGB
	H×W @ furthest range			CAD	STEP, IGES, X_T
	Angular field of view, <i>H×W</i>	38.5 × 23°		Measurements	CSV, DXF, XML
TEXTURE	Ability to capture texture Texture resolution	Yes 2.3 mp	POWER SOURCE & DIMENSIONS	Power source	Built-in exchangeable battery, optional A power
	Colors	24 bpp		Dimensions, HxDxW	231 × 162 × 230 mm
	Ability to use Photo Texture	Yes		Weight	2.6 kg / 5.7 lb
CAPTURE RATE	3D reconstruction rate for real-time fusion, <i>up to</i> 3D reconstruction rate for	22 fps 44 fps			
	3D video recording, up to	44195			
	3D reconstruction rate for 3D video streaming, <i>up to</i>	80 fps			
	Data acquisition speed, up to	35 mln points/s			
	3D exposure time	0.0002 s			
	2D exposure time	0.0002 s			
LIGHT SOURCE	3D light source	VCSEL			
	2D light source	White 12 LED array			
HARDWARE	Position sensors	Built-in 9 DoF inertial system			
	Display / touchscreen	Integrated 5.5" half HD, CTP. Optional Wi- Fi / Ethernet video streaming to external device			
	Multi-core processing	Embedded processors: NVIDIA® Jetson™ TX2 Quad-core ARM® Cortex®-A57 MPCore Processor NVIDIA Maxwell™ 1.33 TFLOPS GPU with 256 NVIDIA® CUDA® Cores			
	Interface	Wi-Fi, Ethernet, SD card			
	Internal hard drive	512 GB SSD			

